Advanced Metering Infrastructure (AMI)

Overview of System Features and Capabilities

Chris King
Chief Strategy Officer
eMeter Corporation

September 30, 2004


Today's Presentation

- 1. Overview of metering technologies
- 2. System costs and benefits
- 3. Case studies
 - □ U.S.
 - ☐ International


Metering Technologies

System Element/Feature	Manual	Automatic Meter Reading (AMR)	Advanced Metering Infrastructure
Meters	Electromechanical	Hybrid	Hybrid or solid-state
Data collection	Manual, monthly	Drive-by, m	Remote via communications network, daily or more often
Data recording	Total consumption	Total consumption	Time-based (usage each hour or more often)
Primary applications	Total consumption billing	Total consumption billing	Pricing options Customer options Utility operations Emergency demand response
Key software interfaces	Billing and customer information system	Billing and customer information system	Billing and customer information system Customer data display Outage management Emergency demand response
Additional devices enabled (but not included in base infrastructure)	None	None	Smart thermostats In-home displays Appliance controllers
Current penetration in California (residential and small commercial)	>95%	<5%	None (pilot only)

AMI Communication Networks




AMI Data and Software Relationships



Metering System Applications

	Manual/AMR	AMI
Pricing	Total consumption only	Total consumption Time-of-use Critical peak pricing Real-time pricing
Other demand response	None	Load control Demand bidding Demand reserves Critical peak rebates
Customer feedback	Monthly bill	Monthly bill Monthly detailed report Web display In-home display
Customer bill savings	Turn off appliances manually	Turn off appliances Shift appliances off peak Manual or automatic control
Outages	Customer phone calls	Automatic detection Verification of restoration at individual home level
Distribution operations	Use engineering models	Dynamic, real-time operations






New Utility Capabilities Enabled by AMI

New Capabilities Enabled
Meter-level voltage monitoring
Load balancing Capacitor bank switching* Regulator and tap changer monitoring* Transformer load management Automated outage management

^{* -} requires additional devices



Major AMI Installations

Utility	Туре	Technology	Quantity	Install Completed
		U.S.		
Kansas City Power & Light (MO)	Electric	Wireless	400,000	1996
Duquesne Light (PA)	Electric	Wireless	580,000	1998
Ameren (MO)	Electric & Gas	Wireless	1,400,000	1999
Xcel Energy (MN)	Electric & Gas	Wireless	1,400,000	1999
Puget Sound Energy (WA)	Electric & Gas	Wireless	1,500,000	2000
United Illuminating (CT)	Electric	Wireless	320,000	2000
Indianapolis Power & Light (IN)	Electric	Wireless	470,000	2000
Exelon (PA)	Electric & Gas	Wireless	2,100,000	2002
Wisconsin Public Service (WI)	Gas	Wireless	200,000	2003
Wisconsin Public Service (WI)	Electric	Distribution line carrier	650,000	2004
PPL (PA)	Electric	Distribution line carrier	1,300,000	2004
JEA (FL)	Electric & Water	Wireless	600,000	2005
WE Energies (WI)	Electric & Gas	Wireless	1,000,000	2005
Hundreds of Small Utilities	Electric & Gas	Various	5,000,000	2004
	Ir	nternational		
ENEL (Italy)	Electric	Power line carrier	30,000,000	2005
PREPA (Puerto Rico)	Electric	Distribution line carrier	1,400,000	2006
Sweden	Electric	Wireless & power line carrier	5,200,000	2009
Ontario (Canada)	Electric	To be determined	[5,000,000]	2010
Victoria (Australia)	Electric	To be determined	[2,500,000]	2013

Customer Service Benefits of AMI (Basic)


Service	New Options Supported				
		Choice of billing date			
Rilling		No estimated bills			
Billing		Month-to-date bill			
		Projected month-end bill			
Pricing		Choice of flat rates or dynamic pricing			
Outage handling		Automatic response and restoration verification by utilities			
		Real-time meter read			
		First call problem resolution			
		Web data access			
Usage information		Monthly detailed usage reports			
mormation	□ Baseline threshold alarms				
		Month-to-date usage			
		Daily or hourly data for customer education			

Benefits – Utility Operations

Puget Sound Energy Example

Source	Share of benefits		
	Electric	Gas	
Meter reading	47%	80%	
Energy theft	8%	3%	
Process improvement	6%	7%	
Call center	4%	7%	
Outage management	4%	0%	
Credit and collections	3%	1%	
Demand metering	5%	0%	
Meter accuracy	13%	0%	
Meter retirement	4%	0%	
Cash flow	2%	1%	
Other	4%	1%	
TOTAL	100%	100%	

PSE Payback: Operations Only = 9 years
Operations w/TOU = 5 years



Utility AMI Deployment Drivers

Operational Efficiency	Ameren	KCPL	NSP	PSE	IPL	Exelon	UI	JEA	IPC	PPL	WE Energies
Operating Costs											
Improved Accuracy											
Theft Detection								0			
Distribution Service											
Demand Response											
Customer Service											
Rate Options											
Billing Options											
Internet Access											
Outage Response											
Service Quality											

AMI Costs in Volume

1. Meter with Communications Module: \$50-400

- New vs. retrofit
- Residential/small commercial vs. large commercial
- 2. Meter installation: \$10-200
 - Residential/small commercial vs. large commercial
 - Primary variable is "drive time" (universal vs. scattered deployment)

3. Local Area Network Node: \$2-50 per meter

- At premise vs. pole top vs. substation
- Primary variables are network type and number of meters connected

4. Wide Area Network: \$10 per LAN node per month


Public vs. private network

5. Data Center: \$0.25 to \$5 per meter per month

- Staffing, facilities, servers, and other operations & maintenance
- Startup and base monthly cost

6. Field Equipment Operations & Maintenance: \$1 per meter-mo

- Meters
- Local Area Network nodes
- 7. Overheads: 10-20%
 - Administrative & general
 - Financing costs for capital investments




AMI Cost Example: 2 Million Meters

ltem	Assumptions	Cost	Average Cost per Meter
Meters and Communications Modules	■95% residential/5% commercial ■30% new meters/70% retrofitted meters ■55% electric/45% gas	 New residential/small commercial: \$60 Retrofit residential/small commercial: \$50 New large commercial: \$300 	Electric: \$70.58 Gas: \$54
Meter Installation	Installation of electric meters with modulesInstallation of gas modules	■Electric: \$12.50 per meter ■Gas: \$10.00 per meter	\$11.38
Local Area Network Node	■Communications node equipment ■Installation of communications node ■Node covers 500 meters	■Equipment: \$5,000 ■Installation: \$500	\$11.00
Wide Area Network	■Public network	■Communications: \$10 per LAN node per month	\$0.02 per meter-month
AMI Data Center	■Software purchase and installation ■System integration ■Modification of existing systems ■Operation of AMI	■\$40 million capital costs ■\$0.30 per meter-month for operations	\$20.00 capital \$0.30 per meter-month
Field Equipment Operations and Maintenance	■Includes hardware and labor cost	■1% per year of capital cost	\$0.05 per meter-month
Overheads and Administrative Costs	■Program management ■All project overheads	= 20%	\$12.60
TOTAL COST		\$118.09 capital\$0.37 per meter-more	nth

AMI Costs Case Study

- Summary of data collected in several eastern U.S. utility procurements
- Independent consultant compared total capital cost and operating benefits of automating meters via AMI vs. AMR
- ❖ Technologies
 - □ Vendors with proven installations
 - Multiple technologies
- Business case
 - Benefits limited to documented utility operating savings
 - No demand response, rate, customer, or system opportunity benefits considered
- Includes meters, communications, training, IT support, and installation

Metering Systems Average Unit Cost and Functional Comparison




Notes:

- (1) Private communication (9/13/04), established utility consulting firm. Costs represent information drawn from multiple vendors and several utility procurements during summer 2004. Cost data exclude the high-low estimates in each system category.
- (2) Costs include meter hardware, installation, communication systems, IT support, training.
- Only vendors with proven gas and electric installations qualified to bid. Evaluation considered only utility operating costs, no DR, rate, customer or other system costs or benefits considered. Multiple communication technologies included in results.

AMI Financing

- **❖** Capital costs
 - ☐ Around \$100 per meter
 - □ Various financing options



Cost recovery options


PROBLEM

Fixed charges disproportionately impact low use customer bills.

SOLUTION

Consider a 'volumetric' kWh based cost allocation method.

Preferred in general as it promotes conservation




Metering - System Costs versus Cost Allocation

PROBLEM

Fixed meter charges disproportionately impact low use customer bills.

SOLUTION

Consider a 'volumetric' kWh based cost allocation method.



Case Studies


Pennsylvania Power & Light
Idaho Power Company
Florida Power & Light

Ward Camp
Vice President
Distribution Control Systems, Inc.

PPL AMI Project

*	Goal: reduce utility operating costs and improve customer service
*	Scope
	☐ 1.3 million electric meters
	□ Central Pennsylvania
	☐ Split between urban and rural
*	Schedule
	☐ Began rollout spring 2002
	☐ Completed installation September 2004 on schedule
*	Total capital costs of \$160 million
	□ \$123 per meter
	More than offset by operating savings

PPL Technology: Distribution Line Carrier



PPL Cost Recovery Filing

Justified based on direct operational & maintenance savings
☐ Remote meter reading
☐ Fewer customer calls resulting from estimated meter reads
☐ Shorter phone calls as a result of having better data and having daily data
☐ Remote collection of move-in/move-out meter reads
☐ Lower cost to handle high-bill investigations
☐ Several others
☐ Other benefits
 Recognized non-economic customer satisfaction benefits (e.g. reduced estimated reads, quicker restoration after Hurricane Isabel)
 Believe demand response benefits will occur, but did not attempt to quantify as part of rate case
Utility benefits of \$205 million vs. costs of \$198 million
☐ Present-value analysis over 15-year life
www.pplweb.com/rateinfo/pdf/testimony/Krall/Statement_4.pdf

Idaho

**	In March 2003, Idaho PUC ruled that dynamic pricing should be
	made available to all Idaho consumers

Idaho Power

- Installing first phase of AMI now
- ☐ Critical peak pricing pilot planned for summer 2005


❖ Avista

☐ Filed a rate case indicating they too, will start implementing AMI

Florida Power & Light (FPL)

*	AMI system for both advanced metering and load control
	☐ Distribution line communications
	☐ First units installed 1987
	☐ 710,000 customers
	☐ 815,000 load control devices
	☐ Several tens of thousands of AMI meters
*	Result is "demand response power plant"
	☐ 1,000 MW of load reduction in normal operation
	□ 2,000 MW in emergency

Emergency Demand Response




Demand Response at FPL

- ❖ FPL works actively with customer to help them reduce electricity consumption and lower their bills
- ❖ Together, FPL's demand response programs total 3,300 MW
 - ☐ Over 20% of peak load
- ❖ FPL has been able to avoid building ten 400 MW power plants

Italy (ENEL)

- 30 million AMI meters
 - All customer classes (>90% residential)
 - □ Approximately 20 million already installed
 - ☐ Adding 700,000 per month
- Key functions
 - Remote meter reading
 - □ Pricing and demand response options
 - □ Remote connect/disconnect for load control
 - ☐ Theft detection/anti-tampering functions
 - □ Customer usage information
 - □ Prepayment (without card) enabling
 - □ Conservation voltage reduction
 - Individual customer service quality level monitoring
 - □ Potential development of value added services for energy market
- Economics
 - □ Four-year payback on utility operating savings



Sweden (Multiple Utilities)

*	2003 legislation mandating AMI deployment to all Swedish power consumers	
	☐ 5.2 million residential, commercial, and industrial customers	
	☐ Installations began 2004	
	□ Completion by July 1, 2009	
*	Goals	
	☐ Energy conservation (by providing better, more frequent usage data to consumers)	
	☐ Improved settlement in wholesale power market	
*	Technologies	
	☐ Combination of wireless and power line carrier communications	
	☐ Typical AMI functionality	

Australia (Multiple Utilities)

*	July 2004 decision by Victoria Essential Services Commission (Melbourne		
*	Conclusions		
		Market forces alone would fail to deliver a timely AMI rollout	
		Regulatory intervention is required to achieve the economic benefits from a more timely and larger scale rollout	
		A net economic benefit would arise to consumers from a timely, mandatory rollout	
*	Requirements		
		Install AMI on all large businesses by 2008	
		Install AMI on all small businesses and large residential customers (>1,667 kWh/mo) by 2011	
		Install AMI on small residential customers from 2006 to 2013	

Canada (Multiple Utilities)

- July 2004 Directive by Ontario Minister of Energy
- ❖ Goal: "make more efficient use of the current supply of electricity and to reduce the province's reliance on external sources"
- **❖** Requirements
 - ☐ Install 800,000 AMI meters by December 2007
 - Install AMI for all Ontario consumers by December 2010
 - Minimum AMI capabilities
 - Record usage during prespecified time periods
 - Support seasonal, time-of-use, critical peak pricing, and other "foreseeable" rate structures
 - Retrieve data from meters remotely at least daily and be capable of providing such data to consumers as feedback
 - Consider additional functions
 - In-home or Web display of usage data
 - Load control
 - Meter reading of gas and water